

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

SANTRAX SHUTTER OIL PREMIUM Supercedes date 21-Dec-2022

Revision date 22-Oct-2024 Revision Number 1.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	SANTRAX SHUTTER OIL PREMIUM
Other means of identification	
Pure substance/mixture	Mixture
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
Recommended use	Building and construction work Restricted to professional users
Uses advised against	None known
1.3. Details of the supplier of the s	afety data sheet
<u>Company Name</u> Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone number	
Ireland United Kingdom	NPIC - National Poison Information Centre Members of the Public: +353 (01) 8092166 (8.00 am to 10.00 pm - 7 days a week) Healthcare Professionals: +353 (01) 8092566 (24 hour service) Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) 112
Europe SECTION 2: Hazards identifi	
2.1. Classification of the substance	
L. I. Olassification of the substance	

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation Category 2

Skin irritation	Category 2 - (H315)
Aspiration hazard	Category 1 - (H304)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Contains Kerosene



SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

Revision date 22-Oct-2024 Revision Number 1.02

Signal word Danger

Hazard statements

H304 - May be fatal if swallowed and enters airways.H315 - Causes skin irritation.H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

- P102 Keep out of reach of children
- P280 Wear protective gloves/protective clothing and eye/face protection
- P273 Avoid release to the environment
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting
- P332 + P313 If skin irritation occurs: Get medical advice/attention

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Harmful to aquatic life.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight- %	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	concentration		M-Factor (long-ter m)	Notes
Kerosene 8008-20-6	10 - <20	01-2119485517 -27-xxxx		Skin Irrit. 2 (H315) STOT SE 3 (H335) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411)		-	-	-
Ammonia, aqueous solution 1336-21-6	0.1- <1	01-2119982985 -14-XXXX		Skin Corr. 1B (H314) SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	STOT SE 3 :: C>=5%	1	-	В

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Kerosene	232-366-4 (649-404-00-4)	8008-20-6	-	-	-	-	-
Ammonia, aqueous solution	215-647-6 (007-001-01-2)	1336-21-6	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.		
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.		
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.		
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.		

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

Effects of Exposure	No information available.			
4.3. Indication of any immediate medical attention and special treatment needed				
Note to doctors	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.			
SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable extinguishing media	No information available.			
5.2. Special hazards arising from the	he substance or mixture			
Specific hazards arising from the chemical	No information available.			
5.3. Advice for firefighters				
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, protecti	ve equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.			
Other information	Refer to protective measures listed in Sections 7 and 8.			
For emergency responders	Use personal protection recommended in Section 8.			
6.2. Environmental precautions				
Environmental precautions	Prevent further leakage or spillage if safe to do so.			
6.3. Methods and material for conta	ainment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
6.4. Reference to other sections				
Reference to other sections	See section 8 for more information. See section 13 for more information.			
SECTION 7: Handling and st	orage			
7.1. Precautions for safe handling	_			

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

General hygiene considerations	Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.			
7.2. Conditions for safe storage, in	cluding any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.			
7.3. Specific end use(s)				
Specific use(s) Restricted to professional users. Building and construction work.				
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.			
Other information	Observe technical data sheet.			
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Kerosene	-	Sk*	
8008-20-6			

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration	No information available.
(PNEC)	

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Gloves made of plastic or rubber. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific
	gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign
	of damage to the glove material. Break through time >480 minutes
Skin and body protection	Suitable protective clothing. Apron. Gloves made of plastic or rubber.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Recommended filter type:	white.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Cream
Odour	Slight. Petroleum distillates.

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

Revision date 22-Oct-2024 Revision Number 1.02

Property_	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	100 °C	
range		
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	> 100 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	
Water solubility	Insoluble in water.	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content		No data available
9.2.1. Information with regards to p Not applicable	physical hazard classes	

9.2.2. Other safety characteristics No information available

SECTION 1	0: Stability	/ and reactivity

10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data

Sensitivity to mechanicalNone.impactSensitivity to static dischargeNone.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

Conditions to avoid	None known based on information supplied.		
10.5. Incompatible materials			
-			
Incompatible materials	Strong acids. Strong bases. Strong oxidising agents.		
10.6. Hazardous decomposition pro	<u>oducts</u>		
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.		
SECTION 11: Toxicological i	nformation		
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008_		
Information on likely routes of expe			
Product Information			
Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.		
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.		
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).		
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.		
Symptoms related to the physical,	chemical and toxicological characteristics		
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes.		
Acute toxicity			
Numerical measures of toxicity			
The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapour)	d based on chapter 3.1 of the GHS document >2000 mg/kg >2000 ppm >5 mg/l >20 mg/l		

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kerosene	>5000 mg/kg (Rattus)	> 2000 mg/kg (Oryctolagus	>5.28 mg/L (Rattus) 4 h
		cuniculus)	
Ammonia, aqueous solution	>2000 mg/kg (Rattus)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.			
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity	Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria are not met.			
Reproductive toxicity	Based on available data, the classification criteria are not met.			
STOT - single exposure	Based on available data, the classification criteria are not met.			
STOT - repeated exposure	Based on available data, the classification criteria are not met.			
Aspiration hazard	May be fatal if swallowed and enters airways.			
11.2. Information on other hazards				
11.2.1. Endocrine disrupting properties				
Endocrine disrupting properties	No information available.			
11.2.2. Other information				
Other adverse effects	No information available.			

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Ammonia, aqueous solution 1336-21-6	-	LC50: =8.2mg/L (96h, Pimephales promelas)	-	LC50 (48h) = 101 mg/L (Daphnia magna) ASTM E729-80	1	

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment	
Kerosene	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special precautions for user		
Special Provisions	None	
IMDG		
14.1 UN number or ID number	Not regulated	
14.2 UN proper shipping name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special precautions for user		
Special Provisions	None	
14.7 Maritime transport in bulk		
according to IMO instruments		
Transport in bulk according to	Annex II of MARPOL and the IBC Code	Not applicable
Air transport (ICAO-TI / IATA-DGR)		

Not regulated

Not regulated

Not regulated

14.1 UN number or ID number

14.2 UN proper shipping name

14.3 Transport hazard class(es)

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

14.4Packing groupNot regulated14.5Environmental hazardsNot applicable14.6Special precautions for user

Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.
Kerosene	8008-20-6
Ammonia, aqueous solution	1336-21-6

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Ammonia, aqueous solution	1336-21-6	Use restricted. See entry 75.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Named dangerous substances per Seveso Directive (2012/18/EU)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Kerosene - 8008-20-6	2500	25000

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H304 - May be fatal if swallowed and enters airways

- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H335 May cause respiratory irritation

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Notes relating to the identification, classification and labelling of substances

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	

SANTRAX SHUTTER OIL PREMIUM

Supercedes date 21-Dec-2022

STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) NIOSH (National Institute for Occupational Safety and Health) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set Prenared By Product Safety & Regulatory Affairs

Prepared By	Product Salety & Regulatory Ar
Revision date	22-Oct-2024
Revision Note	SDS sections updated 2, 4, 11
Training Advice	No information available
Further information	No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet