

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK COLOURS FOR CEMENT RUSSET BROWN Supercedes Date: 08-Jun-2022

Revision date 08-Jun-2022 Revision Number 1

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Pigment

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36	Supplier Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186
E-mail address	SDS.box-EU@bostik.com

1.4. Emergency telephone number

Ireland	Bostik: +353 (1) 8624900	(Monday- Friday 9am-5pm)
United Kingdom	+44 (1785) 272650	
Europe	112	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

2.3. Other hazards

Ireland - BE

BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Supercedes Date: 08-Jun-2022

Product dust may be irritating to eyes, skin and respiratory system.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No.	CAS No.	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	REACH registration number
Limestone 40 - <80 %	215-279-6	1317-65-3	[C]	-	-	-	[5]
Iron oxide (Fe2O3)	215-168-2	1309-37-1	[C]	-	_	-	01-2119457614-
10 - <20 %	210 100 2		[0]				35-XXXX

Full text of H- and EUH-phrases: see section 16

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No	CAS No	Oral LD50 mg/kg	Dermal LD50 mg/kg	LC50 - 4 hour -	Inhalation LC50 - 4 hour - vapour - mg/L	
Limestone	215-279-6	1317-65-3	-	-	-	-	-
Iron oxide (Fe2O3)	215-168-2	1309-37-1	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.
Inhalation	IF exposed or concerned: Get medical advice/attention. Remove to fresh air.
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing,

BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Supercedes Date: 08-Jun-2022

	remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
Skin contact	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash it before reuse.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms	Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to doctors	Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
5.2. Special hazards arising from t	he substance or mixture
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Carbon oxides. Carbon dioxide (CO2).
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect

BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Supercedes Date: 08-Jun-2022

	dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or clothing. Use personal protection equipment. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
7.3. Specific end use(s)	
Specific use(s) Pigment.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³	TWA: 4 mg/m ³
		STEL: 30 mg/m ³	STEL: 30 mg/m ³
		STEL: 12 mg/m ³	STEL: 12 mg/m ³
Iron oxide (Fe2O3)	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³
1309-37-1		TWA: 10 mg/m ³	TWA: 10 mg/m ³
		TWA: 4 mg/m ³	TWA: 4 mg/m ³
		STEL: 10 mg/m ³	STEL: 10 mg/m ³
		STEL: 12 mg/m ³	STEL: 30 mg/m ³
		STEL: 30 mg/m ³	STEL: 12 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Supercedes Date: 08-Jun-2022

Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Skin and body protection	Avoid contact with skin, eyes or clothing. Wear appropriate personal protective clothing to prevent skin contact.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid generation of dust. Possible nuisance dust.
Recommended filter type:	black. Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical	and chemical prop	perties	
Physical state	Solid		
Appearance	Powder		
Colour	Brown		
Odour	Odourless.		
Odour threshold	Not applicable		
Property_	Values		Remarks • Method
Melting point / freezing point	Not applicable .	°C	
Initial boiling point and boiling	Not applicable .	°C	None known
range			
Flammability	No data available		None known
Flammability Limit in Air			None known
Upper flammability or explosive	No data available		
limits			
Lower flammability or explosive	No data available		
limits			
Flash point	Not applicable .	°C	None known
Autoignition temperature	No data available		None known
Decomposition temperature			None known
pH	No data available	-	pH (as aqueous solution) solution (1 %)
pH (as aqueous solution)	4 - 8		None known
Kinematic viscosity	Not applicable .		None known
Dynamic viscosity			
Water solubility	No data available	<0.1 g/l	None known
Solubility(ies)	No data available	5	None known
Partition coefficient	No data available		None known
Vapour pressure	No data available		None known
Relative density	No data available		None known
Bulk Density	0.3 - 1.2 g/cm3		
Liquid Density	No data available		
Relative vapour density	No data available		None known
Particle characteristics			
Particle Size	No information ava	ailable	
Particle Size Distribution	No information ava	ailable	
9.2. Other information			
Softening Point	Not relevant		
VOC Content (%)			

9.2.1. Information with regards to physical hazard classes

BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Supercedes Date: 08-Jun-2022

Not applicable

9.2.2. Other safety characteristics No information available Not applicable .

SECTION 10: Stability and re	eactivity
10.1. Reactivity	
Reactivity	Product cures with moisture.
10.2. Chemical stability	
Stability	Keep away from Incompatible materials. Stable under recommended storage conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture.
10.5. Incompatible materials	
Incompatible materials	Strong oxidising agents. Acids. Aluminium.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological i	nformation
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008
Information on likely routes of exp	osure
Product Information	
Inhalation	Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion	Based on available data, the classification criteria are not met.
Ingestion	Bassa on available data, the blassification ontonia are not mot.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Based on available data, the classification criteria are not met

BOSTIK COLOURS FOR CEMENT RUSSET BROWN Supercedes Date: 08-Jun-2022

Revision date 08-Jun-2022 Revision Number 1

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone	>5000 mg/kg (Rattus)	-	-
Iron oxide (Fe2O3)	>5000 mg/kg (Rattus) EU Method B.1	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Germ cell mutagenicity Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. **Reproductive toxicity** STOT - single exposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. STOT - repeated exposure Aspiration hazard Based on available data, the classification criteria are not met. 11.2. Information on other hazards 11.2.1. Endocrine disrupting properties No information available. **Endocrine disrupting properties** 11.2.2. Other information No information available. Other adverse effects

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)

BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Supercedes Date: 08-Jun-2022

Revision date 08-Jun-2022 Revision Number 1

Limestone	CE50 (72h)	CL50	-	CE50 (48h)	
1317-65-3	>200mg/L Algae	(96h)>10000mg/		>1000 mg/L	
	(Desmondesmus			Daphnia Magna	
	subspicatus)	(Oncorhynchus			
		mykiss)			
Iron oxide (Fe2O3)	-	LC0 (96h) >	-	EC50 (48h) >	
1309-37-1		50000 mg/L		100 mg/L	
		(Danio rerio)		(Daphnia	
				Magna) OECD	
				202	

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Limestone	0.9

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Iron oxide (Fe2O3)	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 10 13 06 particulates and dust (except 10 13 12 and 10 13 13) Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company 10 13 14 waste concrete and concrete sludge

BOSTIK COLOURS FOR CEMENT RUSSET BROWN Supercedes Date: 08-Jun-2022 Revision date 08-Jun-2022 Revision Number 1

Other information Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IMDG_	
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special Provisions	None
14.7 Maritime transport in bulk	Not applicable
according to IMO instruments	
Air transport (ICAO-TI / IATA-DGR)	_
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Supercedes Date: 08-Jun-2022

Revision date 08-Jun-2022 Revision Number 1

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE: Specific target organ toxicity - Repeated exposure
STOT SE: Specific target organ toxicity - Single exposure
EWC: European Waste Catalogue
LOW: List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IATA: International Air Transport Association
ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG: International Maritime Dangerous Goods
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) AGW Occupational exposure limit value BGW Biological limit value

AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API)

BOSTIK COLOURS FOR CEMENT RUSSET BROWN

Supercedes Date: 08-Jun-2022

Revision date 08-Jun-2022 Revision Number 1

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) NIOSH (National Institute for Occupational Safety and Health) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set

Prepared By	Product Safety & Regulatory Affairs
Revision date	08-Jun-2022
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet