

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

Revision date 27-Jan-2020 Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

 1.1. Product Identifier

 Product Name
 EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

 Pure substance/mixture
 Mixture

 1.2. Relevant identified uses of the substance or mixture and uses advised against
 Sealant.

 Recommended use
 Sealant.

 Uses advised against
 Not to be used in production of toys or childcare articles

 1.3. Details of the supplier of the safety data sheet
 Sealant.

<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Ireland +44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Signal word None

Hazard statements Not classified

EU Specific Hazard Statements

EUH210 - Safety data sheet available on request EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

2.3. Other Hazards

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

No information available

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2. Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Quartz	238-878-4	14808-60-7	0.1 - <1	^		Exempt
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.0015 - <0.01	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 100 M Factor Chronic = 100	Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1B :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No.

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

1907/2006 (REACH), Article 59)

SECTION 4: First aid measu	Ires
4.1. Description of first aid measu	
General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms	No information available.
4.3. Indication of any immediate n	nedical attention and special treatment needed
Note to doctors	Treat symptomatically.
SECTION 5: Firefighting me 5.1. Extinguishing media	asures
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from	the substance or mixture
Specific hazards arising from the chemical	Thermal decomposition can lead to release of toxic and corrosive gases/vapours.
5.3. Advice for firefighters	
Special protective equipment for	
fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
	gear. Use personal protection equipment.
fire-fighters SECTION 6: Accidental rele	gear. Use personal protection equipment.
fire-fighters SECTION 6: Accidental rele	gear. Use personal protection equipment.
fire-fighters SECTION 6: Accidental rele 6.1. Personal precautions, protect	gear. Use personal protection equipment.
fire-fighters SECTION 6: Accidental rele 6.1. Personal precautions, protect Personal precautions	gear. Use personal protection equipment.

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

SECTION 7: Handling and storage

soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up				
Methods for containment	Do not scatter spilled material with high pressure water streams.			
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.			
6.4. Reference to other sections				
Reference to other sections	See section 8 for more information. See section 13 for more information.			

7.1. Precautions for safe handling	_	
Advice on safe handling	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep from freezing.	
7.3. Specific end use(s)		
Specific Use(s) Sealant.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.	
Other information	Observe technical data sheet.	

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³
28553-12-0		STEL: 15 mg/m ³	STEL: 15 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)	
Quartz (14808-60-7)	

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)
Туре	worker Long term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	6.81 mg/m ³
Туре	worker Long term Systemic health effects
Exposure route	Dermal

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

Revision date 27-Jan-2020 Revision Number 1.01

Derived No Effect Level (DNEL) 0.966 mg/kg bw/d

Derived No Effect Level (DNEL)		
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Туре	Consumer Long term Systemic health effects	
Exposure route	Inhalation	
Derived No Effect Level (DNEL)	1.2 mg/m ³	
Туре	Consumer Long term Systemic health effects	
Exposure route	Dermal	
Derived No Effect Level (DNEL)	0.345 ma/ka bw/d	

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	4.03 µg/l
Marine water	0.403 µg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 µg/l
Marine sediment	4.99 µg/l
Soil	3 mg/kg dry weight

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the
	breakthrough time of the glove material is not exceeded. Refer to glove supplier for
	information on breakthrough time for specific gloves.
Skin and body protection	Suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	
Appearance	
Colour	
Odour	
Odour threshold	

Liquid Paste White No information available No information available

Property рΗ Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive No data available limits

Values No data available No data available > 34 °C > 100 °C No data available Not applicable for liquids . Remarks • Method

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE Supercedes Date: 22-Mar-2019

Revision date 27-Jan-2020 Revision Number 1.01

Lower flammability or explosive	No data available
limits	
/apour pressure	2.3 kPa
/apour density	No data available
Relative density	1.68
Vater solubility	Immiscible in water
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information	
Solid content (%)	No information available
Softening Point	No information available
Nolecular weight	No information available
/OC Content (%)	6.3 g/L / 0.27 %
Density	No information available
Bulk density	No information available
SECTION 10: Stability and re	eactivity
0.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion Data	
Sensitivity to mechanical	None.
impact Sensitivity to static discharge	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Keep from freezing.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physica	al, chemical and toxicological characteristics
Symptoms	No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)		
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE Supercedes Date: 22-Mar-2019

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Micro-organisms	Crustacea	M-Factor	M-Factor (long-term)
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)	-	-	-	1	
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner	EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211)	-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Quartz	-	0
14808-60-7		
1,2-benzisothiazol-3(2H)-one [BIT]	0.7	6.95
2634-33-5		
reaction mass of	-	3.6
5-chloro-2-methyl-2H-isothiazol-3-one and		
2-methyl-2H-isothiazol-3-one (3:1)		
[C(M)IT/MIT]		
55965-84-9		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB. .

Chemical name	PBT and vPvB assessment
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
2634-33-5	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	
55965-84-9	

12.6. Other adverse effects

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

Revision date 27-Jan-2020 Revision Number 1.01

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine Pollutant 14.6 Special Provisions 14.7 Transport in bulk according	Not regulated Not regulated Not regulated Not regulated Np None to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)14.1UN numberNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable14.6Special ProvisionsNone

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].

52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend	SECTION 8: Exposure controls/personal protection		
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
PBT Per	rsistent, Bioaccumulative, and Toxic (PBT) Chemical	S	
STOT R	E Specific target organ toxicity - Repeated exposure		

EVO-STIK BATHROOM AND KITCHEN SEALANT WHITE

Supercedes Date: 22-Mar-2019

Revision date 27-Jan-2020 Revision Number 1.01

STOT SE Specific target organ toxicity - Single exposure EWC: European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	27-Jan-2020
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet