

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

RITO ALL WEATHER CLEAR Supercedes Date: 09-Feb-2018 Revision date 25-Feb-2020 Revision Number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name RITO ALL WEATHER CLEAR

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

treland +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Specific target organ toxicity (single exposure)	Category 3 - (H336)
Flammable liquids	Category 3 - (H226)

2.2. Label Elements

Contains: n-Butyl acetate



Signal word WARNING

Hazard statements

H336 - May cause drowsiness or dizziness

H226 - Flammable liquid and vapour

EU Specific Hazard Statements

EUH066 - Repeated exposure may cause skin dryness or cracking

Supercedes Date: 09-Feb-2018 **Revision Number** 4

precautionary statements

RITO ALL WEATHER CLEAR

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261 - Avoid breathing vapours/spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

In use may form flammable/explosive vapour-air mixture

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture

3.2. Mixtures Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
n-Butyl acetate	204-658-1	123-86-4	15 - 25	(EUH066) STOT SE 3 (H336) Flam. Liq. 3 (H226)		01-2119485493- 29-XXXX
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1 - <1	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297- 32-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.

Revision date 25-Feb-2020

Revision Number 4

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Clean mouth with water. Call a doctor or poison control centre immediately.

Self-protection of the first aider Remove all sources of ignition. Use personal protective equipment as required. See

section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Inhalation of high vapour concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

RITO ALL WEATHER CLEAR

Supercedes Date: 09-Feb-2018

Suitable extinguishing media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Thermal decomposition can lead to release of irritating and toxic gases

and vapours.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Evacuate personnel to safe areas. Avoid breathing vapours or mists. Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes

or clothing.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Supercedes Date: 09-Feb-2018 Revision Number 4

Methods for containment Dyke far ahead of spill; use dry sand to contain the flow of material. Absorb with earth,

sand or other non-combustible material and transfer to containers for later disposal.

Revision date 25-Feb-2020

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal. Take precautionary

measures against static discharges.

Prevention of secondary hazards Eliminate all ignition sources if safe to do so.

6.4. Reference to other sections

RITO ALL WEATHER CLEAR

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Avoid breathing vapours or mists. Use with local exhaust ventilation. Use

personal protection equipment. Avoid contact with skin and eyes.

General hygiene considerations Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when

using this product. Wash hands before breaks and immediately after handling the

product. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store in

accordance with the particular national regulations.

7.3. Specific end use(s)

Specific Use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
n-Butyl acetate	TWA: 50 ppm	TWA: 150 ppm	TWA: 150 ppm
123-86-4	TWA: 241 mg/m ³	TWA: 710 mg/m ³	TWA: 724 mg/m ³
	STEL: 150 ppm	STEL: 200 ppm	STEL: 200 ppm
	STEL: 723 mg/m ³	STEL: 950 mg/m ³	STEL: 966 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)	
n-Butyl acetate (123-86-4)	
Туре	worker Long term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	300 mg/m ³

RITO ALL WEATHER CLEAR Supercedes Date: 09-Feb-2018

Revision date 25-Feb-2020 Revision Number 4

Туре	worker Short term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	600 mg/m³
Туре	worker Long term Local health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	300 mg/m³
Bentod No Enect Level (BNEL)	occ mg····
Туре	worker Short term Local health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	
Derived No Effect Level (DNEL)	600 mg/m ³
Fr	hand and an atom Ocatomic baselib officets
Type	worker Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	11 mg/kg bw/d
Bis(2,2,6,6-tetramethyl-4-piperidy	
Туре	worker Short term Long term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	2.82 mg/m³
, ,	
Туре	worker Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	1.6 mg/kg
Benved No Enect Level (BNLE)	The migrag
Derived No Effect Level (DNEL)	
n-Butyl acetate (123-86-4)	
	Canaumar Lang tarm Sustamia haalth affacts
Type	Consumer Long term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	35.7 mg/m³
_	
Туре	Consumer Short term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	300 mg/m³
Туре	Consumer Long term Local health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	35.7 mg/m³
, ,	
Туре	Consumer Short term Local health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	300 mg/m³
DOMAGO NO EMOCE LEVEL (DIVEL)	Jood mg/m
Туре	Consumer Long term Systemic health effects
Exposure route	Dermal 6 mg/kg bu/d
Derived No Effect Level (DNEL)	6 mg/kg bw/d
-	
Type	Consumer Short term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	6 mg/kg bw/d
Туре	Consumer Long term Systemic health effects
Exposure route	Oral
Derived No Effect Level (DNEL)	2 mg/kg bw/d
Bis(2,2,6,6-tetramethyl-4-piperidy	d) sebacate (52829-07-9)
Type	Consumer Long term Systemic health effects
T y P C	Donathic Long term dysternic neatth enects

Dermal

Exposure route

RITO ALL WEATHER CLEAR Supercedes Date: 09-Feb-2018 Revision date 25-Feb-2020 Revision Number 4

Derived No Effect Level (DNEL)	0.8 mg/kg
Type	Consumer Long term Systemic health effects
Exposure route	Oral
Derived No Effect Level (DNEL)	0.4 mg/kg

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
n-Butyl acetate (123-86-4)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.18 mg/l
Marine water	0.018 mg/l
Freshwater - intermittent	0.36 mg/l
Sewage treatment plant	35.6 mg/l
Freshwater sediment	0.981 mg/l
Marine sediment	0.0981 mg/l
Soil	0.0903 mg/l

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

8.2. Exposure controls

Engineering controls Provide local exhaust ventilation. Vapours/aerosols must be exhausted directly at the

point of origin.

Personal Protective Equipment

Eye/face protection Wear chemical splash goggles and face shield when eye and face contact is possible

due to splashing or spraying of material.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use:.

Nitrile rubber. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general

greater than 240 min.

Skin and body protection Wear suitable protective clothing.

Respiratory protection Ensure adequate ventilation, especially in confined areas. In case of inadequate

ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with

Type A/P2 filter or better.

Recommended filter type: Brown. White.

Environmental exposure controls Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePasteColourclear

Odour Solvent Characteristic

Odour threshold 7-20 ppm

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 6.2

Supercedes Date: 09-Feb-2018 Revision Number 4

Melting point / freezing point No data available

Boiling point / boiling range 124 °C

Flash point 27 °C (Based on n-Butylacetate)

Evaporation rate No data available

Flammability (solid, gas) Not applicable for liquids

Flammability Limit in Air

RITO ALL WEATHER CLEAR

Upper flammability or explosive 7.5 Vol.%

limits

Lower flammability or explosive 1.2 Vol.%

limits

Vapour pressure 11 kPa

Vapour densityNo data available

Relative density 0.93

Water solubilityImmiscible in waterSolubility(ies)No data availablePartition coefficientNo data available

Autoignition temperature 370 °C

Decomposition temperatureNo data availableKinematic viscosity> 20.5 mm²/sDynamic viscosity15000 mPa s

Explosive properties No data available Oxidising properties No data available

9.2. Other information

Solid content (%)
VOC Content (%)
Density

No information available 223.2 g/L / 24 %
0.93 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

None under normal use conditions. Stable under recommended storage conditions.

@ 20 °C

products

SECTION 11: Toxicological information

Supercedes Date: 09-Feb-2018 Revision Number 4

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

RITO ALL WEATHER CLEAR

Inhalation May cause drowsiness or dizziness.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Inhalation of high vapour concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Chemical name			Inhalation LC50
n-Butyl acetate	>10650 mg/kg (Rattus)	> 17600 mg/kg (Oryctolagus	=390 ppm (Rattus) 4 h
123-86-4		cuniculus)	
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (Rattus)> 2000 mg/kg	LD50 (Rattus) > 3 170 mg/kg	=500 mg/m ³ (Rattus) 4 h
dyl) sebacate	OECD 423	OECD 402	- , , ,
52829-07-9			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Component Information					
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information				
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)				
Method	Species	Exposure route	Results	
OECD Test No. 406: Skin	Guinea pig		No sensitisation responses	
Sensitisation			were observed	

Germ cell mutagenicity Based on available data, the classification criteria are not met.

RITO ALL WEATHER CLEAR
Supercedes Date: 09-Feb-2018

Revision date 25-Feb-2020 Revision Number 4

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Micro-organisms	Crustacea	M-Factor	M-Factor (long-term)
n-Butyl acetate 123-86-4	EC50: =674.7mg/L (72h, Desmodesmus subspicatus)	LC50 96 h 17 - 19 mg/L (Pimephales promelas flow-through)	EC50 = 70.0 mg/L 5 min EC50 = 82.2 mg/L 15 min EC50 = 959 mg/L 18 h EC50 = 98.9 mg/L 30 min	EC50 48 h = 44 mg/L (Daphnia magna)		
Bis(2,2,6,6-tetramethyl- 4-piperidyl) sebacate 52829-07-9	0.705 mg/l	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	-	LC50 48Hr 8.58 mg/l (Daphnia magna)		

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information							
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)							
Method	Exposure time	Value	Results				
	,	Total organic carbon (TOC)	24 % Moderate				
Test - Aerobic Sewage Treatment							
A: Activated Sludge Units; B:							
Biofilms							

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	
n-Butyl acetate	1.81	-	
123-86-4			
Bis(2,2,6,6-tetramethyl-4-piperidyl)	0.35	-	
sebacate			
52829-07-9			

Supercedes Date: 09-Feb-2018 Revision Number 4

12.4. Mobility in soil

RITO ALL WEATHER CLEAR

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . The components in this formulation do not meet the criteria for classification as PBT or

vPvB.

Chemical name	PBT and vPvB assessment	
n-Butyl acetate	The substance is not PBT / vPvB	
123-86-4	PBT assessment does not apply	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB	
52829-07-9		

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. This material and its container must be

disposed of as hazardous waste.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: The shipping descriptions shown here are for bulk shipments only, and may not apply to

shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.

Land transport (ADR/RID)

14.1 UN Number UN1133 **14.2 Proper Shipping Name** Adhesives

14.3 Transport hazard class(es) 3 Labels 3 14.4 Packing Group

Pagarintian LIN111

Description UN1133, Adhesives, 3, III, (D/E)

14.5 Environmental hazards Not applicable

14.6 Special Provisions None
Classification Code F1
Tunnel restriction code (D/E)
Limited Quantity (LQ) 5 L
ADR Hazard Id (Kemmler 30

Number)

IMDG

14.1 UN number UN1133
14.2 Proper Shipping Name Adhesives

Supercedes Date: 09-Feb-2018 Revision Number 4

14.3 Transport hazard class(es) 3
14.4 Packing group

RITO ALL WEATHER CLEAR

Description UN1133, Adhesives, 3, III, (27°C c.c.)

 14.5 Marine Pollutant
 Np

 14.6 Special Provisions
 223, 955

 Limited Quantity (LQ)
 5 L

 EmS-No.
 F-E, S-D

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number UN1133
14.2 Proper Shipping Name Adhesives

14.3 Transport hazard class(es) 3 14.4 Packing group III

Description UN1133, Adhesives, 3, III

14.5 Environmental hazards Not applicable

14.6 Special Provisions A3 Limited Quantity (LQ) 10 L ERG Code 3L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Distillates (petroleum), hydrotreated heavy paraffinic (IPC346 <3% DMSO)	64742-54-7	28.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Supercedes Date: 09-Feb-2018 Revision Number 4

·

Not applicable

National Regulations

RITO ALL WEATHER CLEAR

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H226 - Flammable liquid and vapour H318 - Causes serious eye damage

H336 - May cause drowsiness or dizziness

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 25-Feb-2020

Indication of changes

Revision note SDS sections updated, 2, 3, 14, 15, 16.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet