

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name RITO ALL WEATHER WHITE
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Industries Limited
Newtown, Swords
Co. Dublin Ireland
Tel: +353 (1) 8624900
Fax: +353 (1) 8402186

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Specific target organ toxicity (single exposure)	Category 3 - (H336)
Flammable liquids	Category 3 - (H226)

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains n-Butyl acetate



Signal Word
WARNING

Hazard statements

H336 - May cause drowsiness or dizziness
H226 - Flammable liquid and vapour

Safety Data Sheet

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

Special provisions concerning the labelling of certain mixtures

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe fumes

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

General Hazards

In use may form flammable/explosive vapour-air mixture.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Distillates (petroleum), hydrotreated heavy paraffinic (IPC346 <3% DMSO)	265-157-1	64742-54-7	>25 - <40	Asp. Tox. 1 (H304)		No data available
n-Butyl acetate	204-658-1	123-86-4	15 - 25	STOT SE 3 (H336) Flam. Liq. 3 (H226) (EUH066)		01-2119485493-29 -XXXX
Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate	258-207-9	52829-07-9	0.1 - <1	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297-32 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

In case of accident or being unwell, seek medical advice immediately (show directions

Safety Data Sheet

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

	for use or safety data sheet if possible).
Inhalation	Remove to fresh air. Get medical attention if symptoms occur.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a doctor.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink 1 or 2 glasses of water. Call a doctor immediately.
Self-Protection of the First Aider	Remove all sources of ignition.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Nausea. Headache. Subsequent observance for pneumonia and lung oedema. May cause redness, itching, and pain.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO₂). Extinguishing powder. Alcohol resistant foam. Water spray (fog).

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire

5.2. Special hazards arising from the substance or mixture

Flammable.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Safety Data Sheet

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Ensure that enough fresh air is supplied to dilute and remove dusts, fumes or vapours. Between 5 and 15 air changes per hour are recommended, with a through draught. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Avoid contact with skin, eyes or clothing.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep tightly closed in a dry and cool place. Keep in properly labelled containers. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep at temperature not exceeding 60 °C.

7.3. Specific end use(s)

Other Information

Recommendation(s). Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	Ireland	United Kingdom
n-Butyl acetate 123-86-4	-	TWA: 150 ppm TWA: 710 mg/m ³ STEL: 200 ppm STEL: 950 mg/m ³	STEL: 200 ppm STEL: 966 mg/m ³ TWA: 150 ppm TWA: 724 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection

Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material.

Hand Protection

Wear protective gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature.

Skin and Body Protection

Antistatic footwear. Wear fire/flame resistant/retardant clothing. Gloves made of plastic

Safety Data Sheet

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

Respiratory Protection

or rubber.
Ensure adequate ventilation, especially in confined areas. If exposure limits are likely to be exceeded or if irritation or other symptoms are experienced, NIOSH/MSHA or EN 136 approved respiratory protection should be worn.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Paste
Colour	White
Odour	Solvent Characteristic
Odour Threshold	7-20 ppm

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	6.2	
Melting point / freezing point	No information available	
Boiling point / boiling range	126 °C / 259 °F	
Flash Point	27 °C / 81 °F	(Based on n-Butylacetate)
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper flammability limit:	7.5	
Lower flammability limit	1.2	
Vapour Pressure	1.5	kPa
Vapour Density	4	@ 20DegC (n-Butyl Acetate) (air = 1)
Relative Density	No information available	
Water Solubility	Immiscible in water	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	May form explosive mixtures with air	
Explosive Limits	No information available	
Upper	No information available	
Lower	No information available	
Oxidising Properties	Not applicable	
Kinematic Viscosity	> 20.5 mm ² /s	
Dynamic Viscosity	15000 mPa s	@ 20 °C

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Density	0.93 g/cm ³
Bulk Density	No data available
VOC content (%)	24 %

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin Contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Based on available data, the classification criteria are not met.
Sensitisation	Based on available data, the classification criteria are not met.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Repeated exposure may cause skin dryness or cracking. Prolonged skin contact may defat the skin and produce dermatitis.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Sensitisation	Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity	Not applicable.
Carcinogenicity	Not applicable.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
STOT - Single Exposure	May cause drowsiness or dizziness.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Central nervous system, Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity

Safety Data Sheet

RITO ALL WEATHER WHITE
Supercedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 14,289.00 mg/kg
ATEmix (dermal) 14,289.00 mg/kg

Component Information

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
n-Butyl acetate 123-86-4	>10650 mg/kg (Rat)	> 17600 mg/kg (Rabbit)	= 390 ppm (Rat) 4 h
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	LD50 (rat)> 2000 mg/kg OECD 423	LD50 (rat) > 3 170 mg/kg OECD 402	= 500 mg/m ³ (Rat) 4 h

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Distillates (petroleum), hydrotreated heavy paraffinic (IPC346 <3% DMSO) 64742-54-7	-	LC50 96 h > 5000 mg/L (Oncorhynchus mykiss)	EC50 48 h > 1000 mg/L (Daphnia magna)	
n-Butyl acetate 123-86-4	EC50 72 h = 674.7 mg/L (Desmodesmus subspicatus)	LC50 96 h 17 - 19 mg/L (Pimephales promelas flow-through)	EC50 48 h = 44 mg/L (Daphnia magna)	
Bis(2,2,6,6-tetramethyl-4-pi peridyl)sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	LC50 48Hr 8.58 mg/l (Daphnia magna)	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

Safety Data Sheet

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances

Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no	UN1133
14.2 Proper Shipping Name	Adhesives
14.3 Transport hazard class(es)	3
Labels	3
14.4 Packing Group	III
Description	UN1133, Adhesives, 3, III, (D/E)
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None
Classification Code	F1
Tunnel restriction code	(D/E)
Limited Quantity (LQ)	5 L
ADR Hazard Id (Kemmler Number)	30

IMDG

14.1 UN Number	UN1133
14.2 Proper Shipping Name	Adhesives
14.3 Transport hazard class(es)	3
14.4 Packing Group	III
Description	UN1133, Adhesives, 3, III, (27°C c.c.)
14.5 Marine Pollutant	Np
14.6 Special Provisions	223, 955
Limited Quantity (LQ)	5 L
EmS-No	F-E, S-D
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN Number	UN1133
14.2 Proper Shipping Name	Adhesives
14.3 Transport hazard class(es)	3
Labels	3
14.4 Packing Group	III
Description	UN1133, Adhesives, 3, III
14.5 Environmental Hazard	Not applicable
Classification Code	F1
14.6 Special Provisions	None
Limited Quantity (LQ)	5 L

ICAO (air)

14.1 UN/ID no	UN1133
14.2 Proper Shipping Name	Adhesives
14.3 Hazard Class	3
14.4 Packing Group	III
Description	UN1133, Adhesives, 3, III

Safety Data Sheet

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	A3
IATA	
14.1 UN/ID no	UN1133
14.2 Proper Shipping Name	Adhesives
14.3 Transport hazard class(es)	3
14.4 Packing Group	III
Description	UN1133, Adhesives, 3, III
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	A3
Limited Quantity (LQ)	10 L
ERG Code	3L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

None

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Safety Data Sheet

RITO ALL WEATHER WHITE
Supersedes Date: 26-Jan-2018

Revision Date 09-Feb-2018
Revision Number 3

Full text of H-Statements referred to under section 3

H336 - May cause drowsiness or dizziness
H226 - Flammable liquid and vapour
H318 - Causes serious eye damage
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects
EUH066 - Repeated exposure may cause skin dryness or cracking

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
STOT (RE): Specific target organ toxicity - Repeated exposure
STOT (SE): Specific target organ toxicity - Single exposure
EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 09-Feb-2018

Indication of changes

Revision Note SDS sections updated, 14.

Training Advice No information available

Further information No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet