

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**EVO-STIK SILICONE C SEALANT PVC WHITE** 

Supercedes Date: 06-Apr-2016

Revision Date 02-Feb-2017

Version 1.01

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

**EVO-STIK SILICONE C SEALANT PVC WHITE Product Name** 

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Sealant. Recommended use None known Uses advised against

# 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

**Bostik Industries Limited** Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900

Fax: +353 (1) 8402186

E-mail address SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650		
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)		

# Section 2: HAZARD IDENTIFICATION

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

Unknown aquatic toxicity Contains 25 % of components with unknown hazards to the aquatic environment

# 2.2. Label Elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### **Signal Word**

No signal word

EUH208 - Contains 3-(Triethoxysilyl) propylamine & 2-Butanone, oxime. May produce an allergic reaction

EUH210 - Safety data sheet available on request

# Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

#### **EVO-STIK SILICONE C SEALANT PVC WHITE**

Supercedes Date: 06-Apr-2016 Version 1.01

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other Hazards

#### **General Hazards**

No information available.

### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	934-956-3	1	15 - 25	Asp. Tox. 1 (H304)		01-2119827000-58 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

Remove to fresh air. If symptoms persist, call a doctor. Inhalation

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Ingestion Rinse mouth. Clean mouth with water and drink afterwards plenty of water. If symptoms

persist, call a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

# Section 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **EVO-STIK SILICONE C SEALANT PVC WHITE**

Supercedes Date: 06-Apr-2016 Version 1.01

# **Unsuitable Extinguishing Media**

No information available

# 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Ensure adequate ventilation, especially in confined areas.

#### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

See Section 12 for additional Ecological Information.

# 6.3. Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, Methods for cleaning up

earth or other non-combustible absorbent material. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly.

#### 6.4. Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Reference to other sections

Section 13: DISPOSAL CONSIDERATIONS

# Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

### Advice on safe handling

Ensure adequate ventilation, especially in confined areas.

### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

# **Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place.

### 7.3. Specific end use(s)

#### Other Information

Recommendation(s). Observe technical data sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

**EVO-STIK SILICONE C SEALANT PVC WHITE** 

Supercedes Date: 06-Apr-2016

Version 1.01

Revision Date 02-Feb-2017

**Derived No Effect Level (DNEL)** No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/Face Protection** Wear chemical splash goggles and face shield when eye and face contact is possible

due to splashing or spraying of material.

**Hand Protection** Wear protective gloves. Ensure that the breakthrough time of the glove material is not

exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign

of damage to the glove material.

Suitable protective clothing. Skin and Body Protection

Environmental Exposure Controls No information available.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Viscous Paste **Appearance** 

Colour White

Odour Characteristic

**Odour Threshold** No information available

Remarks • Method **Property** Values

No information available pН Melting point/freezing point No information available > 300 °C / 572 °F **Boiling Point** > 100 °C / > 212 °F **Flash Point Evaporation Rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper Flammability Limit No information available Lower Flammability Limit No information available

**Vapour Pressure** 100 hPa

**Vapour Density** No information available **Specific Gravity** No information available Water Solubility Immiscible in water **Solubility in Other Solvents** No information available **Partition Coefficient** No information available No information available **Autoignition Temperature Decomposition Temperature** No information available

**Explosive Properties** Not an explosive No information available **Explosive Limits** Upper No information available Lower No information available **Oxidising Properties** No information available

**Kinematic Viscosity** > 20.6 mm2/s @ 40°C

No information available **Dynamic Viscosity** 

9.2. Other information

**Softening Point** No information available Molecular Weight No information available No information available Solvent content (%) Solid content (%) No information available

**EVO-STIK SILICONE C SEALANT PVC WHITE** 

Supercedes Date: 06-Apr-2016

Version 1.01

Revision Date 02-Feb-2017

**Density** 0.97 g/cm<sup>3</sup>

**Bulk Density** No Data Available

0.00 % VOC content (%)

# Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### 10.3. Possibility of hazardous reactions

# **Possibility of Hazardous Reactions**

None under normal processing.

#### 10.4. Conditions to avoid

Heat, flames and sparks.

# 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

None under normal use conditions.

# Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

# **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

No Data Available. Inhalation No Data Available. **Eve contact** Skin Contact No Data Available. No Data Available. Ingestion Sensitisation No Data Available.

Skin Corrosion/Irritation Not applicable.

Serious eye damage/eye irritation Not applicable.

Sensitisation Not applicable.

**Germ Cell Mutagenicity** Not applicable.

Carcinogenicity The following substance(s) are classified in Annex VI CLP (1272/2008) as carcinogenic.

Chemical Name	European Union
2-Butanone, oxime	Carc. 2
96-29-7	

**EVO-STIK SILICONE C SEALANT PVC WHITE** 

Supercedes Date: 06-Apr-2016 Version 1.01

Revision Date 02-Feb-2017

Reproductive Toxicity No information available.

**STOT - Single Exposure** No information available.

**STOT - Repeated Exposure** No information available.

**Aspiration Hazard** No information available.

Numerical measures of toxicity

**Acute Toxicity** 

**Unknown acute toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity.

**Component Information** 

Toxicity Data No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C15-C20,	LD50 > 5000 mg/kg (rat)	LD50 > 3160 mg/kg (rabbit)	LC50 Inhalation(4h) >5266 MG/M3
n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	OECD 401	OECD 402	Rat
3-(Triethoxysilyl) propylamine 919-30-2	= 1780 mg/kg (Rat)	= 4 mL/kg (Rabbit)	-
2-Butanone, oxime	= 930 mg/kg (Rat)	1000 - 1800 mg/kg (Rabbit)	> 4800 mg/m <sup>3</sup> (Rat) 4 h
96-29-7			

# Section 12: ECOLOGICAL INFORMATION

# 12.1. Toxicity

**Ecotoxicity** No information available

# **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Hydrocarbons, C15-C20,	EL50 (72h) >10,000 mg/L	LL50 (96h) > 1028 mg/L	LL50 (48h)> 3193 mg/l	
n-alkanes, isoalkanes,	(Skeletonema costatum)	(Scophthalmus maximus)	(Acartia tonsa)	
cyclics, < 0.03% aromatics	ISO 10253	OECD 203		

# 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

# 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### **EVO-STIK SILICONE C SEALANT PVC WHITE**

Supercedes Date: 06-Apr-2016 Version 1.01

# 12.6. Other Adverse Effects

No information available

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

# Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste from Residues/Unused

Disposal should be in accordance with applicable regional, national and local laws and

Revision Date 02-Feb-2017

regulations.

Improper disposal or reuse of this container may be dangerous and illegal. **Contaminated Packaging** 

**European Waste Catalogue** 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous

substances

# Section 14: TRANSPORTATION INFORMATION

**Products** 

ADR	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None

14.6 Special Provisions None

<u>IMDG</u>

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
AAE Mada Ball Aaa	N.I.

14.5 Marine Pollutant Np 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

# RID

14.1	UN/ID no	Not regulated
14.2	Proper Shipping Name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	<b>Environmental Hazard</b>	Not applicable
440	O	N1

14.6 Special Provisions None

# ICAO (air)

14.1	UN/ID no	Not regulated
14.2	<b>Proper Shipping Name</b>	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	<b>Environmental Hazard</b>	Not applicable

None 14.6 Special Provisions

### **IATA**

14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated

#### **EVO-STIK SILICONE C SEALANT PVC WHITE**

Supercedes Date: 06-Apr-2016 Version 1.01

**14.5 Environmental Hazard** Not applicable **14.6 Special Provisions** None

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

# **Persistent Organic Pollutants**

Not applicable

### 15.2. Chemical safety assessment

None

# Section 16: OTHER INFORMATION

#### Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H318 - Causes serious eye damage

H351 - Suspected of causing cancer if inhaled

H304 - May be fatal if swallowed and enters airways

# Legend

SVHC: Substances of Very High Concern for Authorisation:

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure

**EVO-STIK SILICONE C SEALANT PVC WHITE** 

Supercedes Date: 06-Apr-2016 Version 1.01

STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

#### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

**Prepared By** Product Safety & Regulatory Affairs

02-Feb-2017 **Revision Date** 

Indication of changes

1. **Revision Note** 

**Training Advice** No information available

No information available **Additional information** 

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**