

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020

Revision date 06-Feb-2020 Revision Number 1.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BOSTIK GENERAL PURPOSE AEROSOL

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Aerosol.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

Ireland +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity (single exposure)	Category 3 - (H335,H336)
Specific target organ toxicity — repeated exposure	Category 2 - (H373)
Aerosols	Category 1 - (H222, H229)
Aerosols	Category 3 - (H229)

2.2. Label Elements

Contains: Methylene chloride, Methyl ethyl ketone



Signal word DANGER

BOSTIK GENERAL PURPOSE AEROSOL

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Supercedes Date: 05-Feb-2020

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated

Precautionary statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Pressurized container: Do not pierce or burn, even after use

P260 - Do not breathe spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P501 - Dispose of contents/container to an approved waste disposal plant

Additional information

This product requires tactile warnings if supplied to the general public. Placed on the market in aerosol containers or in containers fitted with a sealed spray attachment.

2.3. Other Hazards

No information available

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1 Substances

Mixture

3.2. Mixtures Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Methylene chloride	200-838-9	75-09-2	40 - <80	STOT SE 3 (H335) STOT SE 3 (H336) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Carc. 2 (H351)		01-2119480404- 41-XXXX
Methyl ethyl ketone	201-159-0	78-93-3	1- <2.5	Eye Irrit. 2		01-2119457290-

Revision date 06-Feb-2020

BOSTIK GENERAL PURPOSE AEROSOL

Revision date 06-Feb-2020 Supercedes Date: 05-Feb-2020 Revision Number 1.02

	(H319)	43-XXXX
		4 5-7////
	(EUH066)	
	STOT SE 3	
	(H336)	
	Flam. Liq. 2	
	(H225)	

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to General advice

the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Eye contact

Keep eve wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist. Do not rub affected area. Get medical

attention if irritation develops and persists.

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical Skin contact

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Clean mouth with water. Drink 1 or 2 glasses of water. Call a doctor or poison control

centre immediately.

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section Self-protection of the first aider

4.2. Most important symptoms and effects, both acute and delayed

Burning sensation. Inhalation of high vapour concentrations may cause symptoms like **Symptoms**

headache, dizziness, tiredness, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Thermal decomposition can lead to release of toxic and corrosive gases/vapours.

chemical

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision date 06-Feb-2020

Revision Number 1.02

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Evacuate

personnel to safe areas. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

> with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Avoid breathing vapours or mists. In case of insufficient ventilation,

wear suitable respiratory equipment.

Do not eat, drink or smoke when using this product. Wash hands before breaks and General hygiene considerations

immediately after handling the product. Wear suitable gloves and eye/face protection.

Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. **Storage Conditions**

7.3. Specific end use(s)

Specific Use(s)

Aerosol.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020 Revision Number 1.02

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Methylene chloride	-	TWA: 100 ppm	TWA: 353 mg/m ³
75-09-2		TWA: 353 mg/m ³	TWA: 100 ppm
		STEL: 200 ppm	STEL: 200 ppm
		STEL: 706 mg/m ³	STEL: 706 mg/m ³
		Sk*	Sk*
Petroleum gases, liquefied <0.1%	-	-	TWA: 1000 ppm
w/w 1,3 Butadiene			TWA: 1750 mg/m ³
68476-85-7			STEL: 1250 ppm
			STEL: 2180 mg/m ³
Methyl ethyl ketone	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
78-93-3	TWA: 600 mg/m ³	TWA: 600 mg/m ³	TWA: 600 mg/m ³
	STEL: 300 ppm	STEL: 300 ppm	STEL: 300 ppm
	STEL: 900 mg/m ³	STEL: 900 mg/m ³	STEL: 899 mg/m ³
		Sk*	Sk*

Chemical name	European Union	Ireland	United Kingdom
Methylene chloride 75-09-2	-	-	30 ppm end-tidal breath
Methyl ethyl ketone 78-93-3	-	-	70 μmol/L urine

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)	
Methylene chloride (75-09-2)	
Туре	worker Short term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	706 mg/m³

Туре	worker Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	4750 mg/kg bw/d

Туре	worker Long term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	353 mg/m ³

Methyl ethyl ketone (78-93-3)	
Туре	worker Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	1161 mg/kg bw/d

Type	worker Long term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	600 mg/m³

Derived No Effect Level (DNEL)	
Methylene chloride (75-09-2)	
Туре	Consumer Short term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	353 mg/m³

Туре	Consumer Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	2395 mg/kg bw/d

Revision date 06-Feb-2020

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020

Revision date 06-Feb-2020 Revision Number 1.02

Туре	Consumer Long term Local health effects
Exposure route	Oral
Derived No Effect Level (DNEL)	0.06 mg/kg bw/d

Туре	Consumer Long term Local health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	88.3 mg/m ³

Methyl ethyl ketone (78-93-3)		
Туре	Consumer Long term Systemic health effects	
Exposure route	Dermal	
Derived No Effect Level (DNEL)	412 mg/kg bw/d	

Type	Consumer Long term Systemic health effects
Exposure route	Inhalation
Derived No Effect Level (DNEL)	106 mg/m³

Туре	Consumer Local health effects Systemic health effects	
Exposure route	Oral	
Derived No Effect Level (DNEL)	31 mg/kg bw/d	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)		
Methylene chloride (75-09-2)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.54 mg/l	
Freshwater sediment	4.47 mg/kg dry weight	
Marine water	0.194 mg/kg dry weight	
Marine sediment	1.61 mg/kg dry weight	
Soil	0.583 mg/kg dry weight	

Methyl ethyl ketone (78-93-3)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	55.8 mg/l		
Marine water	55.8 mg/l		
Freshwater sediment	287.74 mg/l		
Marine sediment	287.7 mg/l		
Soil	22.5 mg/l		

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be

exhausted directly at the point of origin.

Personal Protective Equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

Hand protection Wear suitable gloves. Ensure that the breakthrough time of the glove material is not

exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Glove thickness > 0.7mm. Butyl rubber. The breakthrough time for the mentioned glove material is in general greater than 480 min. Nitrile rubber. Gloves must conform to

standard EN 374

Skin and body protection Wear appropriate personal protective clothing to prevent skin contact.

Respiratory protection Ensure adequate respiratory protection during spray applications. In case of insufficient

ventilation, wear suitable respiratory equipment.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. Wear a respirator conforming

to EN 140 with Type A filter or better.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020

•

Not applicable, Aerosol

Not applicable, Aerosol

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Aerosol Appearance Aerosol Colour Clear

Odour Petroleum distillates
Odour threshold No information available

Property Values Remarks • Method

pH No data available

Melting point / freezing point No data available

Boiling point / boiling range Not applicable, Aerosol .
Flash point Not applicable, Aerosol .

Evaporation rateFlammability (solid, gas)
No data available
No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available Vapour density No data available Relative density No data available Slightly soluble Water solubility Solubility(ies) No data available **Partition coefficient** No data available No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No data available Oxidising properties No data available

9.2. Other information

Solid content (%)

VOC Content (%)

Density

No information available

No information available

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Revision date 06-Feb-2020

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020 Revision Number 1.02

Conditions to avoidNone known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Carbon dioxide (CO2). Carbon monoxide. Phosgene. Hydrogen chloride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. May cause drowsiness or dizziness. Specific test

data for the substance or mixture is not available.

Eye contact Irritating to eyes. Causes serious eye irritation.

Skin contact Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes. Inhalation of high vapour

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist) 104.20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methylene chloride	>2000 mg/kg (Rattus)		>86 mg/L (Rattus) 4 h
75-09-2			-
Methyl ethyl ketone	=2483 mg/kg (Rattus)	= 5000 mg/kg (Oryctolagus	=11700 ppm (Rattus) 4 h
78-93-3		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Revision date 06-Feb-2020

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020

Revision date 06-Feb-2020 Revision Number 1.02

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Classification based on data available for ingredients. Contains a known or suspected

carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Methylene chloride	Carc. 2
75-09-2	

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		Micro-organisms			(long-term)
Methylene chloride	EC50:	LC50:	EC50 = 1 mg/L	EC50 48 h = 27		
75-09-2	>500mg/L (72h,	=193mg/L (96h,	24 h	mg/L (Daphnia		
	Pseudokirchneri	Lepomis	EC50 = 2.88	magna)		
	ella subcapitata)	macrochirus)	mg/L 15 min			
	EC50:	LC50: 140.8 -				
	>500mg/L (96h,	277.8mg/L (96h,				
	Pseudokirchneri	Pimephales				
	ella subcapitata)	promelas) LC50:				
		262 - 855mg/L				
		(96h,				
		Pimephales				
		promelas)				
Methyl ethyl ketone	EC50=1972	LC50: 3130 -	EC50 = 3403	EC50 48 h >		
78-93-3	mg/l	3320mg/L (96h,	mg/L 30 min	308 mg/L		
	(Pseudokirchner	Pimephales	EC50 = 3426	(Daphnia magna		
	iella	promelas)	mg/L 5 min)		
	subcapitata)					

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information				
Methyl ethyl ketone (78-93-3)				
Method	Exposure time	Value	Results	
OECD Test No. 301D: Ready	28 days	biodegradation	98 % Readily biodegradable	
Biodegradability: Closed Bottle Test	-	_		
(TG 301 D)				

BOSTIK GENERAL PURPOSE AEROSOL

12.3. Bioaccumulative potential

Supercedes Date: 05-Feb-2020

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Methylene chloride 75-09-2	1.25	40
Methyl ethyl ketone 78-93-3	0.3	•

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or PBT and vPvB assessment

vPvB..

Chemical name	PBT and vPvB assessment	
Methylene chloride 75-09-2	The substance is not PBT / vPvB	
Methyl ethyl ketone 78-93-3	The substance is not PBT / vPvB	

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Do not reuse empty containers. Handle contaminated packages in the same way as the Contaminated packaging

product itself.

according to EWC / AVV

Waste codes / waste designations 16 05 05 gases in pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product

was used.

European Waste Catalogue 16 05 04* gases in pressure containers (including halons) containing dangerous

substances

15 01 04 metallic packaging

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Note: The shipping descriptions shown here are for bulk shipments only, and may not apply to

shipments made in non-bulk packages (see regulatory definition). The information shown

here, may not always agree with the bill of lading shipping description for the material.

Revision date 06-Feb-2020

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020 Revision Number 1.02

Land transport (ADR/RID)

14.1 UN NumberUN195014.2 Proper Shipping NameAerosols14.3 Transport hazard class(es)2Labels2

14.4 Packing Group Not regulated

Description UN1950, Aerosols, 2, (E)

14.5 Environmental hazardsNot applicable14.6 Special Provisions327, 625, 344, 190

Classification Code 5A
Tunnel restriction code (E)
Limited Quantity (LQ) 1 L

IMDG

14.1UN numberUN195014.2Proper Shipping NameAerosols14.3Transport hazard class(es)2.1

14.4 Packing group Not regulated

Description UN1950, Aerosols, 2.1

14.5 Marine Pollutant Np

14.6 Special Provisions 63,190, 277, 327, 344, 381, 959

Limited Quantity (LQ) See SP277 EmS-No. F-D, S-U

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number UN1950

14.2 Proper Shipping Name Aerosols, flammable

14.3 Transport hazard class(es) 2.1

14.4 Packing group Not regulated

Description UN1950, Aerosols, flammable, 2.1

14.5 Environmental hazards Not applicable **14.6 Special Provisions** A145, A167, A802

Limited Quantity (LQ) 30 kg G ERG Code 10L

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH

Revision date 06-Feb-2020

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020 Revision Number 1.02

		Annex XVII
Methylene chloride	75-09-2	59.
Petroleum gases, liquefied <0.1% w/w 1,3 Butadiene	68476-85-7	28. 29.

Dichloromethane (CAS 75-09-2) is restricted from being placed on the market for general public when used in paint strippers ≥0.1%. Further handling and use restrictions apply when used in industrial/professional paint stripping products.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Dangerous substance category per Seveso Directive (2012/18/EU)

P3a - FLAMMABLE AEROSOLS

Revision date 06-Feb-2020

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

BOSTIK GENERAL PURPOSE AEROSOL

Supercedes Date: 05-Feb-2020

Revision date 06-Feb-2020

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Revision date 06-Feb-2020