

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

## BOSTIK COLOURS FOR CEMENT BUFF

Supercedes Date: 02-Mar-2021

Revision date 25-Mar-2021 Revision Number 1.05

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No 1907/2006

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product NameBOSTIK COLOURS FOR CEMENT BUFFPure substance/mixtureMixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Colouring agent.
Uses advised against	None known

1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom Ireland +44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

none

#### Hazard statements This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

## 2.3. Other hazards

Product dust may be irritating to eyes, skin and respiratory system.

### BOSTIK COLOURS FOR CEMENT BUFF

Supercedes Date: 02-Mar-2021

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not applicable

## 3.2 Mixtures

The product contains no substances which at their given concentration, are considered to be hazardous to health

### Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General advice	If medical advice is needed, have product container or label at hand.		
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.		
Skin contact	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash it before reuse.		
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.		
4.2. Most important symptoms and	d effects, both acute and delayed		
Symptoms	Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.		
4.3. Indication of any immediate m	nedical attention and special treatment needed		
Note to doctors	Treat symptomatically.		
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	No information available.		
United Kingdom, Ireland, - EN	Page 2/9		

## BOSTIK COLOURS FOR CEMENT BUFF

Supercedes Date: 02-Mar-2021

5.2. Special hazards arising from the second s	he substance or mixture
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Carbon oxides. Oxides of sulphur.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry. Prevent dust cloud.
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or clothing. Use personal protection equipment. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
7.3. Specific end use(s)	
Specific use(s) Colouring agent.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.

## BOSTIK COLOURS FOR CEMENT BUFF

Supercedes Date: 02-Mar-2021

Revision date 25-Mar-2021 Revision Number 1.05

#### Other information

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>	STEL: 12 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

## Predicted No Effect Concentration No information available. (PNEC)

### 8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment Eye/face protection	Wear safety glasses with side shields (or goggles). For operations where prolonged or repeated skin contact may occur, impervious gloves
Hand protection	should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Skin and body protection	Wear appropriate personal protective clothing to prevent skin contact. Avoid contact with skin, eyes or clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Avoid generation of dust. Possible nuisance dust.
Recommended filter type:	black. Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.

Environmental exposure controls No information available.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold	Solid Powder Beige Odourless Not applicable		
Property	Values	Remarks	Method
На	8		
pH (as aqueous solution)	No data available		
Melting point / freezing point	Not applicable . °C		
Initial boiling point and boiling	Not applicable .		
range			
Flash point	Not applicable .		
Evaporation rate	Not applicable .		
Flammability	No data available		
Flammability Limit in Air			
Upper flammability or explosive limits	No data available		

BOSTIK COLOURS FOR CEMENT BUFF Supercedes Date: 02-Mar-2021 Revision date 25-Mar-2021 Revision Number 1.05

	No data available
Lower flammability or explosive limits	
Vapour pressure	No data available
Relative vapour density	No data available
Relative density	No data available
Water solubility	negligible
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	Not applicable . mm <sup>2</sup> /s
Dynamic viscosity	Not applicable .
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information	
Solid content (%)	100
Softening Point	Not relevant
VOC Content (%)	
Density	No data available
Bulk density	0.3 - 1.2 g/cm3
SECTION 10: Stability and re 10.1. Reactivity Reactivity	Product cures with moisture.
10.1. Reactivity	
10.1. Reactivity Reactivity	
<u>10.1. Reactivity</u> Reactivity <u>10.2. Chemical stability</u> Stability	Product cures with moisture.
<u>10.1. Reactivity</u> Reactivity <u>10.2. Chemical stability</u> Stability Explosion data Sensitivity to mechanical	Product cures with moisture.
<u>10.1. Reactivity</u> Reactivity <u>10.2. Chemical stability</u> Stability Explosion data	Product cures with moisture. Stable under recommended storage conditions. Keep away from Incompatible materia
10.1. Reactivity Reactivity 10.2. Chemical stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	Product cures with moisture. Stable under recommended storage conditions. Keep away from Incompatible materia None. None.
10.1. Reactivity Reactivity 10.2. Chemical stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge 10.3. Possibility of hazardous reac	Product cures with moisture. Stable under recommended storage conditions. Keep away from Incompatible materia None. None.
<u>10.1. Reactivity</u> Reactivity <u>10.2. Chemical stability</u> Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge <u>10.3. Possibility of hazardous reac</u> Possibility of hazardous reactions	Product cures with moisture. Stable under recommended storage conditions. Keep away from Incompatible materia None. None.
<u>10.1. Reactivity</u> Reactivity <u>10.2. Chemical stability</u> Stability Explosion data Sensitivity to mechanical impact	Product cures with moisture. Stable under recommended storage conditions. Keep away from Incompatible materia None. None.
10.1. Reactivity         Reactivity         10.2. Chemical stability         Stability         Stability         Explosion data         Sensitivity to mechanical impact         Sensitivity to static discharge         10.3. Possibility of hazardous react         Possibility of hazardous reactions         10.4. Conditions to avoid	Product cures with moisture. Stable under recommended storage conditions. Keep away from Incompatible materi None. None. <b>::tions</b> None under normal processing.
10.1. Reactivity         Reactivity         10.2. Chemical stability         Stability         Stability         Explosion data         Sensitivity to mechanical impact         Sensitivity to static discharge         10.3. Possibility of hazardous react         Possibility of hazardous reactions         10.4. Conditions to avoid         Conditions to avoid         10.5. Incompatible materials	Product cures with moisture. Stable under recommended storage conditions. Keep away from Incompatible materi None. None. <b>::tions</b> None under normal processing.
10.1. Reactivity         Reactivity         10.2. Chemical stability         Stability         Stability         Explosion data         Sensitivity to mechanical impact         Sensitivity to static discharge         10.3. Possibility of hazardous reactions         10.4. Conditions to avoid         Conditions to avoid	Product cures with moisture. Stable under recommended storage conditions. Keep away from Incompatible materi None. None. tions_ None under normal processing. Product cures with moisture. Strong oxidising agents. Acids. Aluminium.

## 11.1. Information on toxicological effects

#### Information on likely routes of exposure

BOSTIK COLOURS FOR CEMENT BUFF Supercedes Date: 02-Mar-2021

Product Information			
Inhalation	Based on available data, the classification criteria are not met.		
Eye contact	Based on available data, the classification criteria are not met.		
Skin contact	Based on available data, the classification criteria are not met.		
Ingestion	Based on available data, the classification criteria are not met.		
Symptoms related to the physical,	chemical and toxicological characteristics		
Symptoms	No information available.		
Numerical measures of toxicity			
Acute toxicity The following values are calculated based on chapter 3.1 of the GHS document			
Delayed and immediate effects as	well as chronic effects from short and long-term exposure		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT - single exposure	Based on available data, the classification criteria are not met.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting prop	erties		
Endocrine disrupting properties	No information available.		
11.2.2. Other information			
Other adverse effects	No information available.		

United Kingdom, Ireland - EN

BOSTIK COLOURS FOR CEMENT BUFF Supercedes Date: 02-Mar-2021 Revision date 25-Mar-2021 Revision Number 1.05

## SECTION 12: Ecological information 12.1. Toxicity Ecotoxicity 12.2. Persistence and degradability Persistence and degradability No information available. 12.3. Bioaccumulative potential **Bioaccumulation** No information available. 12.4. Mobility in soil Mobility in soil No information available. 12.5. Results of PBT and vPvB assessment PBT and vPvB assessment No information available. 12.6. Other adverse effects Other adverse effects No information available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
European Waste Catalogue	17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 10 13 06 particulates and dust (except 10 13 12 and 10 13 13) 10 13 14 waste concrete and concrete sludge
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

#### **IMDG**

BOSTIK COLOURS FOR CEMENT BUFF Supercedes Date: 02-Mar-2021 Revision date 25-Mar-2021 Revision Number 1.05

14.1 UN number or ID number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Marine pollutant	NP	
14.6 Special Provisions	None	
14.7 Transport in bulk according	to Annex II of MARPOL and the IBC Code	Not applicable

<u>Air transport (ICAO-TI / IATA-DGR)</u>				
14.1 UN number or ID number	Not regulated			
14.2 Proper Shipping Name	Not regulated			
14.3 Transport hazard class(es)	Not regulated			
14.4 Packing group	Not regulated			
14.5 Environmental hazards	Not applicable			
14.6 Special Provisions	None			

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

## Key or legend to abbreviations and acronyms used in the safety data sheet

Legend TWA

TWA (time-weighted average)

## BOSTIK COLOURS FOR CEMENT BUFF

Supercedes Date: 02-Mar-2021

Revision date 25-Mar-2021 Revision Number 1.05

STEL Ceiling * SVHC PBT vPvB STOT RE STOT RE STOT SE EWC	STEL (Short Term Exposure Limit) Ceiling Limit Value Skin designation Substance(s) of Very High Concern Persistent, Bioaccumulative, and Toxic (PBT) Chemicals Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure European Waste Catalogue
Key literature references and sources for data No information available	
Prepared By	Product Safety & Regulatory Affairs
Revision date	25-Mar-2021
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet