

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK MORTAR PLASTICISER Supercedes Date: 07-May-2020 Revision date 07-May-2020 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier	
Product Name Pure substance/mixture	EVO-STIK MORTAR PLASTICISER Mixture
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Recommended use Uses advised against	Building and construction work. None known
1.3. Details of the supplier of	the safety data sheet
<u>Company Name</u> Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186	
E-mail address	SDS.box-EU@bostik.com
1.4. Emergency telephone nu	mber
United Kingdom Ireland	+44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)
SECTION 2: Hazards ide	entification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation

Category 1 - (H317)

2.2. Label Elements

Contains: 2-methyl-2H-isothiazol-3-one [MIT]



Signal word WARNING

Hazard statements

H317 - May cause an allergic skin reaction.

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.

EVO-STIK MORTAR PLASTICISER

Supercedes Date: 07-May-2020

Revision date 07-May-2020 Revision Number 1

P261 - Avoid breathing vapours.

P280 - Wear protective gloves and eye/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other Hazards

No information available

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2. Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]		REACH Registration Number
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6	2682-20-4	0.0015 - <0.01	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (M Factor Acute =10)	Skin Sens. 1 :: C>=0.0015%	01-2120764690- 50-xxxx

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures	

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

EVO-STIK MORTA	R PLASTICISER
Supercedes Date:	07-May-2020

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.	
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.	
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.	
4.2. Most important symptoms and	effects, both acute and delayed	
Symptoms	Itching. Rashes. Hives.	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.	
SECTION 5: Firefighting mea	asures	
5.1. Extinguishing media		
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.	
5.3. Advice for firefighters		

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Ventilate the area. Prevent further leakage or spillage if safe to do so.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	tainment and cleaning up
Methods for containment	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
6.4. Reference to other sections	

EVO-STIK MORTAR PLASTICISER

Supercedes Date: 07-May-2020

Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep from freezing.
7.3. Specific end use(s)	
Specific Use(s) Building and construction work.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
SECTION 8: Exposure contro	ols/Personal protection
8.1. Control parameters	
Exposure Limits	
Derived No Effect Level (DNEL)	No information available
Predicted No Effect Concentration (PNEC)	No information available.
8.2. Exposure controls	
Engineering controls	Ensure adequate ventilation, especially in confined areas. Ensure that enough fresh air is supplied to dilute and remove dusts, fumes or vapours. Between 5 and 15 air changes per hour are recommended, with a through draught.
Personal Protective Equipment Eye/face protection Skin and body protection	Tight sealing safety goggles. Gloves must conform to standard EN 374 Wear appropriate personal protective clothing to prevent skin contact.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

EVO-STIK MORTAR PLASTICISER Supercedes Date: 07-May-2020

Physical state

9.1. Information on basic physical and chemical properties

Liquid

Appearance	Aqueous solution
Colour	dark brown
Odour	Slight
Odour threshold	No information available
Property	<u>Values</u>
рН	7
Melting point / freezing point	No data available
Boiling point / boiling range	100 °C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable for liquids .
Flammability Limit in Air	
Upper flammability or explosive	No data available
limits	
Lower flammability or explosive	No data available
limits	
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	No data available
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information	No information available
Solid content (%)	No information available
VOC Content (%)	No information available

Remarks • Method

SECTION 10: Stability and reactivity

10.1. Reactivity

Density

Reactivity	No information available.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion Data Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	None.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
Conditions to avoid	Keep from freezing.	

No information available

10.5. Incompatible materials

EVO-STIK MORTAR PLASTICISER

Supercedes Date: 07-May-2020

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition None under normal use conditions. Stable under recommended storage conditions. products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

······································		
Information on likely routes of exposure		
Product Information		
Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).	
Ingestion	Based on available data, the classification criteria are not met.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Itching. Rashes. Hives.	
Numerical measures of toxicity		

Acute Toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-methyl-2H-isothiazol-3-one [MIT]	LD50 =285 mg/Kg (Rattus)	LD50 >242 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h
2682-20-4			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause sensitisation by skin contact.

Component Information 2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4) Method Species DECD Test No. 406: Skin Guinea pig Sensitisation Dermal

EVO-STIK MORTAR PLASTICISER Supercedes Date: 07-May-2020

Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Micro-organisms	Crustacea	M-Factor	M-Factor (long-term)
2-methyl-2H-isothiazol- 3-one [MIT] 2682-20-4	EC50 (72hr) 0.157 mg/l (Pseudokirchner iella subcapitata) (OECD 201)	EC50 (96hr) 5.71 mg/l (Oncorhynchus mykiss) OECD 203	-	EC50 (48hr) 1.68 mg/l (Daphnia) (OECD 202)	10	1

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information			
2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)			
Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and		Half-life	1.28-2.1 days
Anaerobic Transformation in			
Aquatic Sediment Systems			
OECD Test No. 309: Aerobic		biodegradation Half-life	Readily biodegradable 4.1
Mineralization in Surface Water -		-	days
Simulation Biodegradation Test			

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
2-methyl-2H-isothiazol-3-one [MIT]	-0.32	3.16
2682-20-4		

12.4. Mobility in soil

Mobility in soil

No information available.

EVO-STIK MORTAR PLASTICISER

Supercedes Date: 07-May-2020

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects	No information available.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.	
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.	
Other information	Waste codes should be assigned by the user based on the application for which the product was used.	

SECTION 14: Transport information

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine Pollutant 14.6 Special Provisions 14.7 Transport in bulk according	Not regulated Not regulated Not regulated Not regulated Np None to Annex II of MARPOL 73/78 and the IBC Code Not applicable

14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental bazardsNot applicable	Air transport (ICAO-TI / IATA-DGR)		
14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated	14.1 UN number	Not regulated	
14.4 Packing group Not regulated	14.2 Proper Shipping Name		
	14.3 Transport hazard class(es)		
14.5 Environmental bazards Not applicable	14.4 Packing group	Not regulated	
	14.5 Environmental hazards	Not applicable	
14.6 Special Provisions None	14.6 Special Provisions	None	

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EVO-STIK MORTAR PLASTICISER

Supercedes Date: 07-May-2020

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Legend	TWA (time-weighted average)
TWA	STEL (Short Term Exposure Limit)
STEL	Ceiling Limit Value
Ceiling	Skin designation
*	Substance(s) of Very High Concern
SVHC PBT	Skin designation Substance(s) of Very High Concern Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

EVO-STIK MORTAR PLASTICISER

Supercedes Date: 07-May-2020

Revision date 07-May-2020 Revision Number 1

vPvB STOT RE STOT SE EWC	Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure European Waste Catalogue
Key literature references and sou No information available	rces for data
Prepared By	Product Safety & Regulatory Affairs
Revision date	07-May-2020
Indication of changes	
Revision note	SDS sections updated, 2, 8, 11.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet