EN 13162:2015

Declaration of Performance

 $C \in$

Declaration of Performance Identification: IRE/SW Version No. 1 May 2019

1. Product Type:

Unique identification code of the product-type:

Xtratherm Stonewool - Density 120kg/m³

2. Type:

Type batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

Batch No on pack

3. Intended use:

Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Thermal Insulation for Buildings

4. Name, registered trade name:

Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Ravaber Yapı Ürünleri San. Ve Tic. A.Ş. Org. San. Böl. 20.cad. No:54 Kayseri

5. Contact Address:

Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

Xtratherm Ltd.
Liscarton Ind. Est.
Kells Road
Navan
Co Meath
Ireland

6. AVCP:

System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

System 1/System 3

7. Notified body (hEN):

In case of the declaration of performance (DoP) concerning a construction product covered by a harmonised standard:

EN 13162:2015

TZUS s.p.- NB 1020 performed Factory Production Control (FPC) under system 1/system 3 and issued certificate of constancy of performance,1020-CPD010028090 and evaluation report No:010-032204

8. Notified body (ETA):

In case of the declaration of performance concerning a construction product for which a European Technical Assessment (ETA) has been issued:

Not applicable (see 7)



Declaration of Performance



9. Declared Performance

Essential characteristics	Performance		Test Standard	Harmonised
				Standard
Thermal conductivity 30 - 170mm	0.035 (W/mK)		EN 12667	
Reaction to fire	A1		EN 13501-1	
Thickness	T4		EN 823	EN 13162:2015
Length and width	Length	Width	EN 822	
	± 2,0	± 1,5		
Squareness	Sb: ≤ 5mm/m		EN 824	
Flatness	S _{max} 6mm		EN 825	
Dimensional stability	DS (70, -)		EN 1604	

10. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Barry Rafferty, Operations Director Xtratherm Ltd. Navan. 01-05-2019