

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 17-Dec-2020 Revision Date 17-Dec-2020 Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name Gyproc Moisture Resistant

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Internal linings in buildings

Uses advised against No specific uses advised against are identified

## 1.3. Details of the supplier of the safety data sheet

### **Supplier**

Saint-Gobain Construction Products (Ireland) Limited Unit 4 Kilcarbery Business Park Nangor Road Dublin 22 D22 R2Y7 Ireland Tel: +353 (0)1 629 8444

## For further information, please contact

E-mail address enquiries@gyproc.ie

## 1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480

NI: 0845 3990159

(Monday - Friday, 9am - 5pm)

Europe emergency contact number: 112

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## 2.2. Label elements

## **Hazard statements**

Not classified

## **Additional information**

As supplied, this product does not meet the requirements for labelling

### 2.3. Other hazards

The product does not contain any substance(s) classified as PBT or vPvB. Cutting and handling may create dust. Product dust may be irritating to eyes, skin and respiratory system. Sharp edges and corners may cause cuts and abrasions.

# SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Calcium sulfate dihydrate encased in paper liners. Natural board constituents may include minor amounts of quartz. Small quantities of chopped glass fibre, microsilica and vermiculite may be added, with starch, foam and dispersants. Gyproc Moisture Resistant includes a silicone and / or wax additive

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Calcium sulfate dihydrate 7778-18-9	50 - 100	01-211944491 8-26-XXXX	231-900-3	Not Classified [C]	-	1	-

<sup>[</sup>C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

#### Full text of H- and EUH-phrases: see section 16

### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50		Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Calcium sulfate dihydrate 7778-18-9	> 2000	-	> 3.26	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General advice Get medical attention if irritation or other symptoms occur. Take a copy of the Safety Data

Sheet when going for medical treatment.

**Inhalation** Not an expected route of exposure. IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

Eye contact Not an expected route of exposure. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub

affected area. Get medical attention if irritation develops and persists.

**Skin contact** Wash skin with soap and water. Get medical attention if irritation develops and persists.

**Ingestion**IF SWALLOWED:. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious

person. Get medical attention immediately if symptoms occur.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Harmful dust may be released during cutting or grinding process. Product dust may be

irritating to eyes, skin and respiratory system. May cause discomfort if swallowed.

Prolonged contact may cause redness and irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO2, alcohol-resistant foam or water spray. Use extinguishing measures that

are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

None known based on information supplied.

Hazardous combustion products

Harmful gases or vapours. Oxides of sulphur. Carbon monoxide. Carbon dioxide (CO2).

## 5.3. Advice for firefighters

Specific/special fire-fighting

measures

Avoid breathing vapours. Evacuate area. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Wear

personal protective clothing (see section 8). Avoid breathing dust. Avoid contact with eyes. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Wash thoroughly after handling.

For emergency responders Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

Environmental precautions Collect spillage. Avoid release to the environment. Local authorities should be advised if

significant spillages cannot be contained. See Section 12 for additional Ecological

Information.

## 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protection recommended in Section 8. Clear up spills immediately and

\_\_\_\_\_

dispose of waste safely. Stay upwind. Collect spillage. Sweep up and shovel into suitable containers for disposal. Avoid generation of dust. Prevent product from entering drains. After cleaning, flush away traces with water. Wash thoroughly after handling. Dispose of wastes in an approved waste disposal facility.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections

See section 8 for more information. See Section 11 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling

Read carefully and follow all instructions. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. See section 8 for more information. Keep away from food, drink and animal feedingstuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Minimise dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Store away from incompatible materials. Store in accordance with local regulations. Store in a cool, well ventilated area. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from combustible material.

## 7.3. Specific end use(s)

## Specific use(s).

The identified uses for this product are detailed in Section 1.2

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Exposure Limits** 

Exposure to these ingredients as inhalable or respirable dust is minimal during normal use. Avoid generation of dust.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Calcium sulfate dihydrate		TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>	-
7778-18-9		STEL 10 mg/m <sup>3</sup>			
Paraffin waxes and	-	-	TWA: 2 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>
Hydrocarbon waxes					STEL: 6 mg/m <sup>3</sup>
8002-74-2					
Silicon dioxide	TWA: 0.1 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup>	-
7631-86-9					
Quartz (SiO2)	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7					
Glass fibre	-	-	-	TWA: 6.0 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
-				TWA: 1.0 fiber/cm3	TWA: 2 fiber/cm3
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Paraffin waxes and	-	-	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

(M)SDS Number UL-SGI-043

Revision Date: 17-Dec-2020

Hydrocarbon waxes 8002-74-2					
Silicon dioxide 7631-86-9	-	TWA: 0.1 mg/m <sup>3</sup> TWA: 4.0 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Quartz (SiO2) 14808-60-7	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Calcium sulfate dihydrate 7778-18-9	TWA: 10 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	-	TWA: 4 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m <sup>3</sup>	-	-	TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>	-
Silicon dioxide 7631-86-9	-	TWA: 4 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-
Quartz (SiO2) 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>	-	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Calcium sulfate dihydrate 7778-18-9	TWA: 10 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>	-
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>	-	-
Silicon dioxide 7631-86-9	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> STEL: 18 mg/m <sup>3</sup> STEL: 7.2 mg/m <sup>3</sup>	-	-	TWA: 1 mg/m <sup>3</sup>	-
Quartz (SiO2) 14808-60-7	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ (Silica, crystalline, respirable dust) TWA: 6 mg/m³ TWA: 2.4 mg/m³ (Silica, amorphous)	-	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Glass fibre -	TWA: 1 fibre/cm3 TWA: 5 mg/m <sup>3</sup> STEL: 3 fibre/cm3 STEL: 15 mg/m <sup>3</sup>	-	-	TWA: 3 fiber/cm3 air	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Calcium sulfate dihydrate 7778-18-9	-	-	-	-	TWA: 10 mg/m <sup>3</sup>
Paraffin waxes and Hydrocarbon waxes 8002-74-2	-	-	-	TWA: 2 mg/m <sup>3</sup> STEL: 4 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Silicon dioxide 7631-86-9	-	-	TWA: 0.75 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>	-
Quartz (SiO2) 14808-60-7	-	-	TWA: 0.075 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 0.9 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Glass fibre	-	-	-	-	TWA: 1 fiber/cm3
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Calcium sulfate dihydrate 7778-18-9	TWA: 10 mg/m <sup>3</sup>	-	TWA: 4 mg/m <sup>3</sup> TWA: 1.5 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> Ceiling: 6 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>
Silicon dioxide 7631-86-9	-	-	-	TWA: 4 mg/m <sup>3</sup>	-
Quartz (SiO2) 14808-60-7	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.5 mg/m <sup>3</sup>	-	TWA: 0.05 mg/m <sup>3</sup>

Chemical name	Sweden	Switzerland	United Kingdom
Calcium sulfate dihydrate	-	TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
7778-18-9			TWA: 4.0 mg/m <sup>3</sup>
Paraffin waxes and	-	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Hydrocarbon waxes		-	STEL: 6 mg/m <sup>3</sup>
8002-74-2			_
Silicon dioxide	-	TWA: 4 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
7631-86-9		G	TWA: 2.4 mg/m <sup>3</sup>
Quartz (SiO2)	NGV: 0.1 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	-	_	(Silica, respirable crystalline)
			TWA: 6 mg/m <sup>3</sup>
			TWA: 2.4 mg/m <sup>3</sup>
			(Silica, amorphous)
Glass fibre	-	-	TWA: 2 fibre/mL
-			TWA: 5 mg/m <sup>3</sup>

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Paraffin waxes and Hydrocarbon waxes 8002-74-2	-	(- )	-	-	-
Quartz (SiO2) 14808-60-7	-	( - )	-	-	-

**Derived No Effect Level (DNEL)** 

No information available.

Calcium sulfate dihydrate (7778-18-9)

Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Worker: Long term, Systemic health effects	Inhalation	21.17 mg/m³	-
Worker: Short term, Systemic health effects	Inhalation	5082 mg/m³	-
General Population: Long term, Systemic health effects	Inhalation	5.29 mg/m³	-
General Population: Short term, Systemic health effects	Inhalation	3811 mg/m³	-
General Population: Long term, Systemic health effects	Oral	1.52 mg/kg bw/d	-
General Population: Short term, Systemic health effects	Oral	11.4 mg/kg bw/d	-

Predicted No Effect Concentration (PNEC) No information available.

Calcium sulfate dihydrate (7778-18-9)

Environmental compartment	Predicted No Effect Concentration (PNEC)		
Microorganisms in sewage treatment	100 mg/l		

# 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location. Apply technical measures to

comply with the occupational exposure limits.

Personal protective equipment

standard EN 166.

Hand protection Repeated or prolonged contact: Wear suitable gloves. During cutting, grinding or sanding

operations, wear protective gloves if handling sharp or rough edges.

**Skin and body protection**No special protective equipment required.

Respiratory protection Harmful dust may be released during cutting or grinding process. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators. Dust mask for dust formation. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the

filter is changed regularly.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it

before reuse.

Environmental exposure controls Avoid creating dust.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Appearance Flat sheet boards in different lengths, widths and thicknesses, with a square or tapered

edge Solid

Physical stateSolidColourGreenOdourOdourless

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNone known

pH No data available None known pH (as aqueous solution) No data available No information available

Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk density
No data available
No data available
No data available

Vapour density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

#### 9.2. Other information

### 9.2.1. Information with regards to physical hazard classes

Not applicable

#### 9.2.2. Other safety characteristics

No information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions. Stable under recommended storage conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Dust formation. Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

## 10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Information on likely routes of exposure

Product Information .

**Inhalation** Harmful dust may be released during cutting or grinding process. Inhalation of dust in high

concentration may cause irritation of respiratory system.

Eye contact Not an expected route of exposure. Dust contact with the eyes can lead to mechanical

irritation.

Skin contact Prolonged contact may cause redness and irritation. Contact with dust can cause

mechanical irritation or drying of the skin.

Ingestion Not an expected route of exposure. May cause gastrointestinal discomfort.

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if

Revision Date: 17-Dec-2020

swallowed. Prolonged contact may cause redness and irritation.

## Numerical measures of toxicity

Based on available data, the classification criteria are not met

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium sulfate dihydrate	> 2000 mg/kg (Rat)	-	> 3.26 mg/l
Paraffin waxes and Hydrocarbon waxes	> 5000 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-
Silicon dioxide	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2.08 mg/L (Rat)4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met

Skiii Corrosion/iiritation	based on available data, the diassilleation chiefla are not met.
Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Exposure route	Dermal
Effective dose	0.5 g
Exposure time	4 hours
Results	non-irritant

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion
Exposure route	Eye
Effective dose	0.1 g
Results	non-irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Method	OECD Test No. 406: Skin Sensitisation
Exposure route	Dermal
Results	Not a skin sensitiser

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information		
Calcium sulfate dihydrate (7778-18-9)		
Method OECD Test No. 471: Bacterial Reverse Mutation Test		
Species in vitro		
Results Not mutagenic		
Method	ethod OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test	
Species	cies in vivo	
Results	Not mutagenic	

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Not applicable.

## 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

#### 11.2.2. Other information

Other adverse effects None known based on information supplied.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity** Based on available data, the classification criteria are not met. Not considered to be harmful

to aquatic life.

Component Information	
Calcium sulfate dihydrate (7778-18-9)	
Results	Not toxic at limit of water solubility

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Silicon dioxide	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h,	-	EC50: =7600mg/L (48h,
	Pseudokirchneriella	Brachydanio rerio)		Ceriodaphnia dubia)
	subcapitata)			

## 12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information Calcium sulfate dihydrate (7778-18-9)			
Method	Exposure time	Value	Results
-	-	-	Substance is inorganic. Not
			relevant

## 12.3. Bioaccumulative potential

**Bioaccumulation** No information available.

### 12.4. Mobility in soil

Mobility in soil No information available.

**Mobility** Insoluble in water.

Revision Date: 17-Dec-2020 **Gyproc Moisture Resistant** 

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Calcium sulfate dihydrate	The substance is not PBT / vPvB
Paraffin waxes and Hydrocarbon waxes	The substance is not PBT / vPvB
Silicon dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Glass fibre	The substance is not PBT / vPvB

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects None known based on information supplied.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

The generation of waste should be minimised or avoided wherever possible. Recover or recycle if possible. This material and its container must be disposed of in a safe way. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Waste codes / waste designations according to EWC / AVV

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

# SECTION 14: Transport information

## <u>IMDG</u>

14.1 UN number or ID number Not regulated 14.2 **UN proper shipping name** Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable Not applicable Marine pollutant

14.6 Special Precautions for Users

**Special Provisions** 

14.7 Maritime transport in bulk according to IMO instruments

No information available

## RID

14.1 UN number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 **Environmental hazards** Not applicable

Revision Date: 17-Dec-2020

# 14.6 Special Precautions for Users

**Special Provisions** None

## ADR

14.1 **UN** number or ID number Not regulated Not regulated 14.2 **UN proper shipping name** 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

**Special Provisions** None

### IATA

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users **Special Provisions** None Note: None

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

	Chemical name	French RG number	Title
	Paraffin waxes and Hydrocarbon waxes	RG 36	-
	8002-74-2		
	Silicon dioxide	RG 25	-
	7631-86-9		
ĺ	Quartz (SiO2)	RG 25	-
	14808-60-7		

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
Quartz (SiO2)	Present	-	-

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

## Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## **Persistent Organic Pollutants**

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Chemical name	Plant protection products directive (91/414/EEC)
Quartz (SiO2) - 14808-60-7	Plant protection agent

### International Inventories

**TSCA** Contact supplier for inventory compliance status **DSL/NDSL** Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **IECSC KECL** Contact supplier for inventory compliance status **PICCS** Contact supplier for inventory compliance status **AICS** Contact supplier for inventory compliance status

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

**Chemical Safety Report** Not applicable

# **SECTION 16: Other information**

## Key or legend to abbreviations and acronyms used in the safety data sheet

SVHC: Substances of Very High Concern for Authorisation:

**PBT** Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

## Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA

Ceiling Maximum limit value Skin designation

## Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

### Key literature references and sources for data

European Chemicals Agency http://echa.europa.eu

Issuing Date 17-Dec-2020

Revision Date 17-Dec-2020

Revision Note Initial Release.

Further information This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided

for information only

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**